



YTC4620-08 SF6

YTC4620-08 SF6



—

	3
	4
	4
	5
	6
	6
	7
	7
	8
	9
	10
	11
	12
	12
1.	13

YTC4620-08 SF6

YTC4620-08 SF₆

1

220V

10%

5%

2

YTC4620-08 SF₆

YTC4620-08 SF₆

AC220V

3

DL/T506-2007

YTC4620-08 SF₆

20

PP20

YTC4620-08 SF6

H₂ SF₆

"

"

YTC4620

YTC4620-08 SF6



1

2

SF₆

SF₆

, SF₆

SF₆

1 SF₆

YTC4620-08 SF6

SF₆

2 H₂

YTC4620-08 SF₆

YTC4620-08 SF₆

PPmV

20

12

YTC4620-08 SF₆

ALPHA

AS3

DRYCAP®

DRYCAP®

1		80 — +20 ± 1
2		0.5 — 23100 μ L/L
3	+20	-60 20 5s(63%) 45s(90%) 20 -60 10s(63%) 240s(90%)
4		RS-232
5		0—1.5 Mpa
6		0—1 L/min
7		-30— 100
8		5— 95 %RH
9		0—+60
10		0—90%RH
11		0—1MPa
12		0—1 /
13		
14		300*200*100mm
15		2.5Kg

PP20	-51.7 31uL /L 27uL /L 0.50Mpa
------	--


"

"

PP20

PP20

20




" "


" 0' " 9'

" 9'


" 0'

" "






" " " " " "



" "



09-21-06

" "

1	
2	
3	0.5-0.6 / 0.8 / 5-7 

<p data-bbox="284 286 359 371">4</p>	
<p data-bbox="284 510 359 595">5</p>	

1

2

0-9

4

6

7

PP20

8

1.

2

3.

220V

5

1.

2

3.

4.

24

72

1

	u1/1 20
	150
	150
" "	200
	300

543

4000- 777- 650 027- 87876585/87876385

027- 87596225

430077

www.hb1000kV.com

hb1000kV@163.com